

**CHEMISAFE®**  
SAFETY STORAGE CABINETS

# FIRE BOMB STORAGE CABINETS AND BOXES FOR GAS CYLINDERS





B 60 G 30



B 120 G 30

## SAFETY CABINETS FOR COMPRESSED GAS CYLINDERS



Entirely built in electro-galvanized sheet steel with thickness of mm 1/1,5/2, bent with cold pressing with monolithic external structure varnished with anti-acid epoxy paint and passage into thermal gallery at 200 °C.

Special insulation of calcium silicate (DIN 4102) releasing water molecules to lower the inner temperature in case of fire; Mineral wool panels for high temperatures (800 °C) - **free from Ceramic Fiber fixed with ceramic bonding agent.**

**Certification in compliance with new norm EN 14470-2.**

- SAFETY LOCK WITH KEY.
- Certified automatic locking SYSTEM (70/100 °C) for air inlet and outlet piping,
- Non-sparking natural iron HINGE with brass pin.
- Thermo-expanding GASKET (DIN 4102).
- ARRANGEMENT FOR PIPING PASSAGE.
- CLOSING SHEET RAMP FOR EASY REPLACEMENT OF CYLINDERS.
- POSSIBILITY OF ADJUSTABLE SHELVES FOR SMALL CYLINDERS (1 included).



## CERTIFIED SAFETY CABINETS FOR COMPRESSED GAS CYLINDERS FOR INTERIORS



**B 120 X G 90**  
SEPARATION  
BETWEEN COMBURENTS  
AND COMBUSTIBLES



**B 60 X G 90**

CODE	G MINUTS	DESCRIPTION	EXTERNAL DIMENSIONS W x D x H mm	INTERNAL DIMENSIONS W x D x H mm	CYLINDERS No.	WEIGHT Kg
<b>B 60 G 30</b>	30	B 60 G 30 CABINET	595 x 600 x 2050	445 x 420 x 1760	1 - 2	245
<b>B 120 G 30</b>	30	B 120 G 30 CABINET	1200 x 600 x 2050	1050 x 420 x 1760	3 - 4	420
<b>B 60 X G 90</b>	90	B 60 G 90 CABINET	595 x 600 x 2050	445 x 420 x 1760	1 - 2	260
<b>B 120 X G 90</b>	90	B 120 G 90 CABINET SEPARATION BETWEEN COMBURENTS AND COMBUSTIBLES	1200 x 600 x 2050	445 + 445 x 420 x 1760	(1 - 2) + (1 - 2)	520

## PANDESA® DEPOSIT FOR COMPRESSED GAS CYLINDERS


**CERTIFIED DEPOSIT FOR COMPRESSED GAS CYLINDERS.**

**Authorisation of the Ministry of the Interior.**

**Certified n° 3804/30/91.1.**


Built with steel panels folded and welded on perimetrical spars to limit structural deflexions, complete of adjustable feet for fixing to the floor on a cement base; possibility of filling the above-mentioned panels with sand or concrete, therefore fixed.

- Modularity predisposition.
- Complete with continuous earthing system for every unit (FARADAY CRATE).
- Modular roof in tarred corrugated fibreboard fixed on varnished steel load-bearing base.
- PVC eaves.
- Doors with anti-intrusion net complete of security block.
- Zinc-plating treatment on all components.
- Painting with polyurethane auto-extinguishable resin.
- Possibility to separate combustible material from supporters of combustion.
- No need of building licence.
- Different possible combinations  
(in the picture the 3 cylinders placed model).




### DOORS PROTECTION KIT


CODE	N° DOORS
KPAN01	1 DOOR
KPAN02	2 DOORS




**PAN 01**  
**PANDESA 3 places**  
W 960 x D 880 x H 2400 mm  
Weight: 262 Kg




**PAN 02**  
**PANDESA 6 places**  
W 1760 x D 880 x H 2400 mm  
Weight: 377 Kg




**PAN 03**  
**PANDESA 3+3 places**  
W 1840 x D 880 x H 2400 mm  
Weight: 448 Kg




**PAN 04**  
**PANDESA 6+3 places**  
W 2640 x D 880 x H 2400 mm  
Weight 568 Kg




**PAN 05**  
**PANDESA 10 places**  
W 1760 x D 1680 x H 2400 mm  
Weight: 550 Kg



**PAN 06**  
**PANDESA 6+6 places**  
W 3440 x D 880 x H 2400 mm  
Weight: 683 Kg



**PAN 07**  
**PANDESA 6+6+3 places**  
W 4320 x D 880 x H 2400 mm  
Weight: 875 Kg



**PAN 08**  
**PANDESA 10+10 places**  
W 3440 x D 1680 x H 2400 mm  
Weight: 909 Kg


**CYLINDER STORAGE CONTAINER IN GALVANISED STEEL WITH BASE FOR EXTERIORS**



- Hinged doors with intrusion protection safety lock.
- Top in galvanised steel.
- The inside base is made in uniformly uneven steel.
- Earthed.
- Chain and spring catch inner to hook the cylinders.
- Pre-arranged for modular assembly.
- Safety labelling included.




**RAMP ON REQUEST**




**PBOX912 - 9/12 places**

External dimensions: W 1130 x D 960 x H 2100 mm  
Internal dimensions: W 1065 x D 900 x H 1890 mm  
Weight: 175 Kg



**PBOX1824 - 18/24 places**

External dimensions:  
W 2300 x D 960 x H 2100 mm  
Internal dimensions:  
W 2130 x D 900 x H 1890 mm  
Weight: 350 Kg



**PBOX2436 - 24/36 places**

External dimensions: W 3500 x D 960 x H 2100 mm  
Internal dimensions: W 3195 x D 900 x H 1890 mm  
Weight: 520 Kg



## SAFETY CABINETS FOR COMPRESSED GAS CYLINDERS FOR INTERIORS AND EXTERIORS

Entirely built in cold press-bent and painted FE P01 zinc plated steel sheet (Skin passat), thickness 10/10 mm, after degreasing treatment with a first application of epoxy primer, 2 subsequent applications of thermosetting powders and following passage in thermal gallery at 200 °C.

“Monolith” type construction, with cabinet levelling supports at its base. Hollow core and reversible doors, built as above, equipped with safety lock handles and lock. 110° opening to enable shelf extraction without tilting. Safety warnings indicate the presence of dangerous and toxic products as well as the capacity and limit of product to be stored.

- Chain and spring catch inner to hook the cylinders.
- Pre-arranged for modular assembly.
- Safety labelling included.
- CLOSING SHEET RAMP FOR EASY REPLACEMENT OF CYLINDERS.

**BBASIC120**



**BBASIC60**



**SAFETY CABINETS FOR COMPRESSED GAS CYLINDERS FOR INTERIORS AND EXTERIORS**

**BBASIC120G**



**BBASIC60G**



CODE	DESCRIPTION	EXTERNAL DIMENSIONS W x D x H mm	INTERNAL DIMENSIONS W x D x H mm	CYLINDERS No.	WEIGHT Kg
<b>BBASIC60</b>	1 FULL DOOR CABINET	600 x 600 x 1950	530 x 540 x 1850	1 - 2	70
<b>BBASIC60G</b>	1 POLYCARBONATE DOOR CABINET	600 x 600 x 1950	530 x 540 x 1850	1 - 2	70
<b>BBASIC120</b>	2 FULL DOORS CABINET	1200 x 600 x 1950	1130 x 540 x 1850	3 - 4	125
<b>BBASIC120G</b>	2 POLYCARBONATE DOORS CABINET	1200 x 600 x 1950	1130 x 540 x 1850	3 - 4	125

**CHEMISAFE®**  
SAFETY STORAGE CABINETS

# FIRE BOMB

STORAGE CABINETS AND BOXES  
FOR GAS CYLINDERS



Authorized dealer: